CH 223 – Worksheet 6

1. The normal boiling point of ethanol (C_2H_5OH) is 78.3 °C, and its molar enthalpy of vaporization is 38.56 kJ/mol. What is the change in entropy in the system when 68.3 g of C_2H_5OH (g) at 1 atm condenses to a liquid at the normal boiling point?

The normal freezing point of 1-propanol (C₃H₈O) is -127 °C. (a) Is the freezing an endothermic or exothermic process? (b) In what temperature range is the freezing of 1-propanol a spontaneous process? (c) In what temperature range is it a nonspontaneous process? (d) Is there any temperature at which liquid and solid 1-propanol are in equilibrium? Explain.

3. Using data from Appendix C, calculate ΔH° , ΔS° , and ΔG° at 25 °C for the following reaction:

 $BaCO_3(s) \rightarrow BaO(s) + CO_2(g)$

Show that $\Delta G^{\circ} = \Delta H^{\circ} - T\Delta S^{\circ}$

4. Use data from Appendix C to calculate the equilibrium constant, K, at 298 K for the following reaction:

 $C_2H_5OH(g) \rightleftharpoons C_2H_4(g) + H_2O(g)$

Thermodynamic Quantities for Selected Substances at 298.15 K (25 °C)

S° ΔG_f° ΔH_f° S° ΔH_f° ΔG_f° (J/mol-K) (kJ/mol) (kJ/mol) Substance (kJ/mol) (J/mol-K) (kJ/mol) Substance 52.30 68.11 219.4 $C_2H_4(g)$ Aluminum -32.89229.5 -84.68 $C_2H_6(g)$ 28.32 0 0 Al(s)-103.85-23.47269.9 $C_3H_8(g)$ -705.6-630.0109.3 $AlCl_3(s)$ -15.71310.0 -124.73 $C_4H_{10}(g)$ 51.00 -1576.5-1669.8 $Al_2O_3(s)$ -147.6-15.0231.0 $C_4H_{10}(l)$ Barium 129.7 269.2 82.9 $C_6H_6(g)$ 63.2 0 0 Ba(s)172.8 49.0 124.5 $C_6H_6(l)$ 112.1 -1137.6 -1216.3 $BaCO_3(s)$ -161.9237.6 -201.2 $CH_3OH(g)$ -525.170.42 -553.5 BaO(s)126.8 -166.23 -238.6 $CH_3OH(l)$ -168.5282.7 -235.1 $C_2H_5OH(g)$ Beryllium -174.76160.7 9.44 -277.7 0 0 $C_2H_5OH(l)$ Be(s)-910.4 212.1 13.77 -1273.02-579.1-608.4 $C_6H_{12}O_6(s)$ BeO(s)-137.2197.9 -110.5-905.8-817.950.21 CO(g) $Be(OH)_2(s)$ -393.5 -394.4 213.6 $CO_2(g)$ Bromine 159.8 -392.4-487.0CH₃COOH(l) 82.38 174.9 111.8 Br(g)-102.880.71 -120.9 Cesium $Br^{-}(aq)$ 49.53 175.6 30.71 3.14 245.3 76.50 Cs(g) $Br_2(g)$ 0.03 92.07 2.09 0 152.3 0 $Br_2(l)$ Cs(l)85.15 0 -36.23 -53.22198.49 0 Cs(s)HBr(g)101.2 -414.4-442.8CsCl(s)Calcium 145.5 154.8 179.3 Chlorine Ca(g)165.2 105.7 0 41.4 121.7 0 Cl(g)Ca(s)56.5 -131.2-1128.76 92.88 -167.2-1207.1 $Cl^{-}(aq)$ CaCO₃(s, calcite) 222.96 0 104.6 0 -748.1 $CaCl_2(s)$ -795.8 $Cl_2(g)$ 56.5 -131.2 -1167.3 68.87 -167.2-1219.6HCl(aq) $CaF_2(s)$ 186.69, -95.2739.75 -92.30-604.17-635.5HCl(g)CaO(s)-986.2-898.583.4 $Ca(OH)_2(s)$ Chromium 106.7 -1321.8-1434.0 $CaSO_4(s)$ 174.2 352.6 397.5 Cr(g)23.6 0 0 Cr(s)Carbon 81.2 -1058.1158.0 -1139.7718.4 672.9 $Cr_2O_3(s)$ C(g)2.43 2.84C(s, diamond) 1.88 Cobalt 5.69 0: 0 179 C(s, graphite) 393 439 Co(g)309.4 -106.7-64.028.4 $CCl_4(g)$ 0 0 Co(s)214.4 -68.6 $CCl_4(l)$ -139.3 Copper -635.1262.3 -679.9 $CF_4(g)$ 166.3 298.6 338.4 Cu(g) -50.8186.3 -74.8 $CH_4(g)$ 33.30 0 0 Cu(s)209.2 200.8 226.77 $C_2H_2(g)$

IX

APPEND

APPENDIX C	Thermodynamic Quantities for Colored and	
	y sector Quantities for Selected Substances at 298.15 K (25	°C)

Substance	ΔH_f° (kJ/n	ΔG_f° nol) (kJ/m	S° ol) (J/mol-K) Substance	ΔH_f^{s}	ΔC	₿° Ŝĝ	-	
$CuCl_2(s)$	-20	5.9 -161	7 100.1		(kJ/1	mol) (kJ	/mol) (J/	'mol-F	K)
CuO(s)	-15	6.1 - 128	3 40.50	MgO(s)	-601	.8 54	() () · · · ·		
$Cu_2O(s)$	-170	-147	9 9 92 94	$Mg(OH)_2(s)$	-924	.783	26. 27	.8	
Fluorine		11/.	9 92.36	Manganese		-03	63.	24	
F(g)	00			$Mn(\sigma)$					
$F^{-}(aq)$	00	61.9	9 158.7	Mn(s)	280.	.7 23	8.5 173.4	6	
$F_2(g)$	-332		8 -13.8	MnO(c)	0	(0 32.0	0	
HF(q)	0	0	202.7	$MnO_{-}(c)$	-385.	2 -362	2.9 59.5	7	
0/ I I 1	-268	.61 -270.7	70 173.51	$MnO_{2(3)}$	-519.	6 -464	1.8 53.1	14	
Hydrogen				$\operatorname{WIIO}_4(uq)$	-541.4	4 -447	7.2 191.2	<u>,</u>	
H(g)	217.	94 203.2	6 114.60	Mercury					
H'(aq)	0	0	0	Hg(g)	60.8	3 21	76 4 - 1 - 1	_	
H ⁺ (g)	1536.	2 15170	109.0	Hg(l)	0	.0 51	.76 174.8	9	
$H_2(g)$	0	0.	108.9	$HgCl_2(s)$	-230.1	U 104	77.4	0	
Iodine		0	130.58	$Hg_2Cl_2(s)$	-264.9	-184.	0 144.5		
I(g)	107			Nickol	204.9	-210.	5 192.5		
$I^{-}(aa)$	106.6	o 70.16	180.66	NEC					
$I_2(\alpha)$	-55.1	.9 -51.57	111.3	NI(g)	429.7	384.9	5 1821		
$\frac{2}{2}$	62.2	5 19.37	260.57	Ni(s)	0	0	29.9		
HI(a)	0	0	116.73	$N_1Cl_2(s)$	-305.3	-259.0) 9765		
11(8)	25.94	4 1.30	206.3	NiO(s)	-239.7	-211.7	7 37.05		
Iron			_	Nitrogen			57.99		
Fe(g)	415.5	360 9	100 5	N(g)	470 7				
Fe(s)	0	0	180.5	$N_2(g)$	4/2./	455.5	153.3		
Fe ²⁺ (<i>aq</i>)	-87.86	-94.02	27.15	$NH_2(aa)$	0	0	191.50		
$Fe^{3+}(aq)$	-47 69	-10 54	113.4	$NH_2(q)$	-80.29	-26.5) 111.3		
$FeCl_2(s)$	-341.8	-10.54	293.3	$NH_{1}^{+}(aa)$	-46.19	-16.66	5 192.5		
$FeCl_3(s)$	-400	-302.3	117.9	$N_{2}H_{4}(aq)$	-132.5	-79.31	113.4		
FeO(s)	-271 0	-334	142.3	NH CN(c)	95.40	159.4	238.5		
$Fe_2O_3(s)$		-255.2	60.75	NH ₄ Cl(s)	0.0				
$Fe_3O_4(s)$	-11171	-740.98	89.96	$NH_NO(a)$	-314.4	-203.0	94.6		
$FeS_2(s)$	-171 -	-1014.2	146.4	NO(a)	-365.6	$-1\overline{8}4.0$	151		
Lead	-1/1.5	-160.1	52.92	NO(g)	90.37	86.71	210.62		
				$NO_2(g)$	33.84	51.84	240.45		
Pbp(s)	0	0	68 85	$N_2O(g)$	81.6	103.59	220.0		
$PDBr_2(s)$	-277.4	-260.7	161	$N_2O_4(g)$	9.66	98.28	304.3		
$PbCO_3(s)$	-699.1	-625.5	131.0	NOCI(g)	52.6	66.3	264	*.,	
$Pb(NO_3)_2(aq)$	-421.3	-246.9	303.2	$HNO_3(aq)$	-206.6	-110.5	146	•	
$Pb(NO_3)_2(s)$	-451.9		505.5	$HNO_3(g)$	-134.3	-73.94	266 1		
PbO(s)	-217.3	-187.9	68 70	Oxygen			200.4		
Lithium			00.70	O(g)	247 5	.			
Li(g)	150.2			$O_2(g)$	247.5	230.1	161.0		
Li(s)	139.3	126.6	138.8	$O_3(q)$	0	0	205.0		
$Li^+(aq)$	0	0	29.09	$OH^{-}(aa)$	142.3	163.4	237.6		. *
$Li^+(q)$	-2/8.5	-273.4	12.2	$H_2O(\sigma)$	-230.0	-157.3	-10.7		
LiCl(s)	685.7	648.5	133.0	$H_2O(1)$	-241.82	-228.57	188.83	•	•
12~~ :	-408.3	-384.0	59.30	$H_2O_2(\sigma)$	-285.83	-237.13	69.91		
^{ragnesium}				$H_{2}O_{2}(\alpha)$	-136.10	-105.48	232.9		
$^{1}VIg(g)$	147.1	112.5	1/18 6	2~2\8/	-187.8	-120.4	109.6		
$^{1V1}g(s)$	0	0	110.0 27 E1	Phosphorus					
$^{1}MgCl_2(s)$	-641.6	-592.1	32.31 80 c	P(g)	316.4	280 n	162.2		
		~ / mi L		$P_2(g)$	144.3	103.7	163.2 218.1		

Substance	∆ <i>H</i> ^o (kJ/mol)	∆ <i>G</i> [°] (kJ/mol)	S° (J/mol-K)	Substance	∆ <i>H</i> _f (kJ/mol)	ΔG_f° (kJ/mol)	S° (J/mol-K)
Phosphorus (cont.)				AgCl(s)	-127.0	-109.70	96.11
$P_4(g)$	58.9	24.4	280	$Ag_2O(s)$	-31.05	-11.20	121.3
$P_4(s, red)$	-17.46	-12.03	22.85	$AgNO_3(s)$	-124.4	-33.41	140.9
$P_4(s, white)$	0	0	41.08	Codium		00.42	1 1007
$PCl_3(g)$	-288.07	-269.6	311.7	NI-(-)	1077	77 0	1 50 5
$PCl_3(l)$	-319.6	-272.4	217	Na(g)	107.7	//.3	153.7
$PF_5(g)$	-1594.4	-1520.7	300.8	Na(s)	0	0	51.45
$PH_3(g)$	5.4	13.4	210.2	Na(uq)	-240.1	-261.9	59.0
$P_4O_6(s)$	-1640.1			$Na^{-}(g)$	609.3	574.3	148.0
$P_4O_{10}(s)$	-2940.1	-2675.2	228.9	NaBr(aq)	360.6	-364.7	141.00
$POCl_3(g)$	-542.2	-502.5	325	Nabr(s)	-361.4	-349.3	86.82
$POCl_3(l)$	-597.0	-520.9	222	$Na_2CO_3(s)$	-1130.9	-1047.7	136.0
$H_3PO_4(aq)$	-1288.3	-1142.6	158.2	NaCl(aq)	-407.1	-393.0	115.5
				NaCl(g)	-181.4	-201.3	229.8
Potassium				NaCI(s)	-410.9	-384.0	72.33
K(g)	89.99	61.17	160.2	$NaHCO_3(s)$	-947.7	-851.8	102.1
K(s)	0	0	64.67	$NaNO_3(aq)$	-446.2	-372.4	207
KCl(s)	-435.9	-408.3	82.7	$NaNO_3(s)$	-467.9	-367.0	116.5
$KClO_3(s)$	-391.2	-289.9	143.0	NaOH(aq)	-469.6	-419.2	49.8
$KCIO_3(aq)$	-349.5	-284.9	265.7	NaOH(s)	-425.6	-379.5	64.46
$K_2CO_3(s)$	-1150.18	-1064.58	155.44	Strontium			
$KNO_3(s)$	-492.70	-393.13	132.9	SrO(s)	-592.0	561.9	54.9
$K_2O(s)$	-363.2	-322.1	94.14	Sr(g)	164.4	110.0	164.6
$KO_2(s)$	-284.5	-240.6	122.5	Sulfur			
$K_2O_2(s)$	-495.8	-429.8	113.0	S(s, rhombic)	0	0	31.88
KOH(s)	-424.7	-378.9	78.91	$S_8(g)$	102.3	49.7	430.9
KOH(aq)	-482.4	-440.5	91.6	$SO_2(g)$	-296.9	-300.4	248.5
Rubidium				$SO_3(g)$	-395.2	-370.4	256.2
Rb(g)	85.8	55.8	170.0	$SO_4^{2-}(aq)$	-909.3	-744.5	20.1
Rb(s)	0	0	76.78	$SOCl_2(l)$	-245.6		
RbCl(s)	-430.5	-412.0	92	$H_2S(g)$	-20.17	-33.01	205.6
$RbClO_3(s)$	-392.4	-292.0	152	$H_2SO_4(aq)$	-909.3	744.5	20.1
Scandium				$H_2SO_4(l)$	-814.0	-689.9	156.1
Sc(g)	377.8	336.1	174.7	Titanium			
Sc(s)	0	0	34.6	Ti(g)	468	422	180.3
	-	-		Ti(s)	0	0	30.76
Selenium				$TiCl_4(g)$	-763.2	-726.8	354.9
$H_2Se(g)$	29.7	15.9	219.0	$TiCl_4(l)$	-804.2	-728.1	221.9
Silicon				$TiO_2(s)$	-944.7	-889.4	50.29
Si(g)	368.2	323.9	167.8	Vanadium			
Si(s)	0	0	18.7	V(g)	514.2	453.1	182.2
SiC(s)	-73.22	-70.85	16.61	V(s)	0	0	28.9
$SiCl_4(l)$	-640.1	-572.8	239.3	Zine	Ŭ	ž	
SiO ₂ (s, quartz)	-910.9	-856.5	41.84	$\Delta \ln c$	100 7		160.9
Silver				Zn(g)	130.7	95.2	41 63
$\Delta \sigma(s)$	<u>n</u>	0	40 FF	$Z_{II}(S)$	U 41 - 1	U 2(0 #	111.5
$\Delta \alpha^{+}(\alpha \alpha)$		U 77 11	42.55	$Z \Pi C I_2(S)$	-415.1	-309.4	43.9
ng (uy)	105.90	77.11	73.93	ZnO(s)	-348.0	-318.2	TU.2

1114 APPENDIX C Thermodynamic Quantities for Selected Substances at 298.15 K (25 °C)